

### **THE DECLARATION REJECTION**

Enclosed with the current office action response are new declarations for each of the inventors, which comply with the wording, noted by the examiner.

### **THE DRAWINGS REJECTION**

Enclosed with the current office action response are (1) amended drawings and (2) a marked up set of the amended drawings that correct the deficiencies noted by the examiner. Although the examiner states that there are hand written numerals on the drawings, applicant is unable to find any hand written numerals. Applicant believes that the Examiner is referring to Figure 2, which originally was a photocopy of a photocopy, and thus may have appeared to be a hand written drawing. Applicant thus is supplying a new replacement sheet for Figure 2. Additionally, the examiner states that item numbers 72, 73 need to be shown in the drawings, however, applicant respectfully points out that items 72 and 73 are shown in Figure 1, on the top right side of the page. Also, the examiner states that the drawings need to show the local sensors outside of the sump pit. Applicant respectfully points out that the local sensors 60 are shown in Figure 1 near the top of the page, between items 78 and 72. Applicant has amended Figure 1 to show the sump pit 2 and the thermistors 24, a marked-up version of Figure 1 is attached hereto. No amendments were made to Figure 2, and hence no marked-up version of Figure 2 is included.

### **THE SPECIFICATION OBJECTION**

Applicant has modified the paragraph located at page 11, lines 14-21 pursuant to the examiner's recommendation.

### **ALLOWABLE SUBJECT MATTER**

Claim 1 has been rewritten to include the limitations of claim 1 and of allowable subject matter claim 4, and thus is now allowable. All claims now depend ultimately on allowable claim 1 and should thus all be allowable. Claim 41 was amended to delete a duplicate word, "internet".

Applicant respectfully requests that claims as amended be allowed. On the basis of the

above remarks, early consideration of this application and early allowance are respectfully requested.

By:

/Michael A. Blake/

---

Michael A. Blake  
Attorney for Applicant  
Reg. No. 42,333

Date: December 11, 2007

Law Office of Michael A. Blake  
Registered Patent Attorney  
112 Broad Street  
Milford, CT 06460  
(203)876-5081  
(203)876-7195 fax  
mblake@blake-ip.com